MODULAR KEG RACKS

CHOICE EQUIPMENT

FEATURE PRODUCTS

- Single & Double Deep Keg Racks
- 2 & 3 Shelf Keg Racks
- 24" Deep Keg Racks
- Half Size Keg Racks
- Keg Style Dunnage Racks
- Keg Dolly
- Keg Lifters



83.75

42.25

50.63



CHOICE EQUIPMENT COMPANY

540 Hog Mountain Road, Suite 130 | Jefferson, GA 30549 Office: 706-693-2484 | Fax: 706-693-2468 | ChoiceEquipmentCompany.com









Single Deep Keg Racks

Designed for storing ½ size barrel kegs with 17" deep top shelf for added storage

Construction

- Constructed of Heavy-Duty extruded 6063 aluminum alloy
- Fully Welded Frame for Strength
- Large Keg Storage Capacities
- Heavy Duty Channel Keg Shelves
- Top Shelf for Added Storage
- Grade 5 stainless steel hardware is included with each kit
- Custom Sizes and Layouts Available

Vertical Frame Supports

 1.5" X 2" X .125" High strength aluminum all welded tubular construction

Rack Shelving

- Heavy-duty aluminum structural E-Channel, 4" wide
- .250" X 2" Aluminum flat bar center supports





Model Number			Overall Dimensions	War Carration	61. 11		
SINGLE DEEP	SINGLE DEEP		D	н	Keg Capacity	Ship Lbs.	
2 Shelf	SU48-1735-2	38"	17"	78"	4	72	
Base Units Bottom Row Kegs	SU48-1752-2	55"	17"	78"	6	78	
on Floor	SU48-1769-2	72"	17"	78"	8	84	
2 Shelf	SU48-1735-2-A0	37"	17"	78"	4	47	
Add-on Units Bottom Row Kegs	SU48-1752-2-A0	54"	17"	78"	6	53	
on Floor	SU48-1769-2-A0	71"	17"	78"	8	59	
3 Shelf	SU48-1735-3	38"	17"	78"	4	87	
Base Units Bottom Row Kegs	SU48-1752-3	55"	17"	78"	6	103	
on Shelf 8" Off Floor	SU48-1769-3	72"	17"	78"	8	119	
3 Shelf	SU48-1735-3-A0	37"	17"	78"	4	62	
Add-on Units Bottom Row Kegs	SU48-1752-3-A0	54"	17"	78"	6	78	
on Shelf 8" Off Floor	SU48-1769-3-A0	71"	17"	78"	8	94	

DOUBLE DEEP KEG RACKS









Double Deep Keg Racks

Designed for storing ½ size barrel kegs with 17" or 24" deep top shelf for added storage

Construction

- Constructed of Heavy-Duty extruded 6063 aluminum alloy
- Fully Welded Frame for Strength
- Large Keg Storage Capacities
- Heavy Duty Channel Keg Shelves
- Top Shelf for Added Storage
- Grade 5 stainless steel hardware is included with each kit
- Custom Sizes and Layouts Available

Vertical Frame Supports

 1.5" X 2" X .125" High strength aluminum all welded tubular construction

Rack Shelving

- Heavy-duty aluminum structural E-Channel, 4" wide
- .250" X 2" Aluminum flat bar center supports





Model Number			0veral	ll Dimen	Keg	Ship	
	DOUBLE DEEP			D	Н	Capacity	Lbs.
	2 Shelf Base Units	SU48-3335-2	38"	33"	78"	8	86
	Bottom Row Kegs	SU48-3352-2	55"	33"	78"	12	106
	on Floor	SU48-3369-2	72"	33"	78"	16	120
elf	2 Shelf Add-on Units Bottom Row Kegs on Floor	SU48-3335-2-A0	37"	33"	78"	8	65
lar St		SU48-3352-2-A0	54"	33"	78"	12	85
Te Pa		SU48-3369-2-A0	71"	33"	78"	16	99
17" Deep Top Tubular Shelf	3 Shelf Base Units	SU48-3335-3	38"	33"	78"	8	103
" Dee	Bottom Row Kegs	SU48-3352-3	55"	33"	78"	12	133
17	on Shelf 8" Off Floor	SU48-3369-3	72"	33"	78"	16	154
	3 Shelf Add-on Units	SU48-3335-3-A0	37"	33"	78"	8	82
	Bottom Row Kegs	SU48-3352-3-A0	54"	33"	78"	12	112
	on Shelf 8" Off Floor	SU48-3369-3-A0	71"	33"	78"	16	133

Model Number			0vera	II Dimen	Keg	Ship	
	DOUBLE DI	EEP	W	D	Н	Capacity	Lbs.
	2 Shelf Base Units	SU48-3335-2-24TB	38"	33"	78"	8	90
	Bottom Row Kegs on Floor	SU48-3352-2-24TB	55"	33"	78"	12	111
		SU48-3369-2-24TB	72"	33"	78"	16	127
elf	2 Shelf Add-on Units Bottom Row Kegs on Floor	SU48-3335-2-24TB-A0	37"	33"	78"	8	69
24" Deep Top Tubular Shelf		SU48-3352-2-24TB-A0	54"	33"	78"	12	90
Tubu		SU48-3369-2-24TB-A0	71"	33"	78"	16	106
о Тор	3 Shelf Base Units	SU48-3335-3-24TB	38"	33"	78"	8	107
' Dee	Bottom Row Kegs	SU48-3352-3-24TB	55"	33"	78"	12	138
24'	on Shelf 8" Off Floor	SU48-3369-3-24TB	72"	33"	78"	16	161
	3 Shelf Add-on Units	SU48-3335-3-24TB-A0	37"	33"	78"	8	82
	Bottom Row Kegs	SU48-3352-3-24TB-A0	54"	33"	78"	12	112
	on Shelf 8" Off Floor	SU48-3369-3-24TB-A0	71"	33"	78"	16	133





Construction

- Constructed of Heavy-Duty extruded 6063 aluminum alloy
- 24" Depth Designed for 1/6 and 1/4 Barrel Kegs
- Fully Welded Frame for Strength
- Large Keg Storage Capacities
- Heavy Duty Channel Keg Shelves
- Top Shelf for Added Storage
- Grade 5 stainless steel hardware is included with each kit
- Custom Sizes and Layouts Available

Vertical Frame Supports

 1.5" X 2" X .125" High strength aluminum all welded tubular construction

Rack Shelving

- Heavy-duty aluminum structural E-Channel, 4" wide
- .250" X 2" Aluminum flat bar center supports

Model N	Model Number		rall Dime	nsions	Keg Cap.	Ship	
24" DEEP		W	D	Н	neg cap.	Lbs.	
2 Shelf	SU48-2435-2	38"	24"	78"	12	86	
Base Units Bottom Row Kegs	SU48-2452-2	55"	24"	78"	16	106	
on Floor	SU48-2469-2	72"	24"	78"	24	120	
2 Shelf	SU48-2435-2-A0	37"	24"	78"	12	65	
Add-on Units Bottom Row Kegs	SU48-2452-2-A0	54"	24"	78"	16	85	
on Floor	SU48-2469-2-A0	71"	24"	78"	24	99	

Model N	0vei	all Dime	V C	Ship			
24" D	EEP	w	D	Н	Keg Cap.	Lbs.	
3 Shelf	SU48-2435-3	38"	24"	78"	12	103	
Base Units Bottom Row Kegs	SU48-2452-3	55"	24"	78"	16	133	
on Shelf 8" Off Floor	SU48-2469-3	72"	24"	78"	24	154	
3 Shelf	SU48-2435-3-A0	37"	24"	78"	12	82	
Add-on Units Bottom Row Kegs	SU48-2452-3-A0	54"	24"	78"	16	112	
on Shelf 8" Off Floor	SU48-2469-3-A0	71"	24"	78"	24	133	

Construction

- Constructed of Heavy-Duty extruded 6063 aluminum alloy
- No top shelf for case storage allows Keg storage in short coolers or under evaporator cooling unit
- Fully Welded Frame for Strength
- Large Keg Storage Capacities
- Heavy Duty Channel Keg Shelves
- Grade 5 stainless steel hardware is included with each kit
- Custom Sizes and Layouts Available

Vertical Frame Supports

 1.5" X 2" X .125" High strength aluminum all welded tubular construction

Rack Shelving

- Heavy-duty aluminum structural E-Channel, 4" wide
- .250" X 2" Aluminum flat bar center supports



Model Number		0ver	all Dimen	Keg	Ship	
HALF SIZI	HALF SIZE 1-SHELF		D	Н	Capacity	Lbs.
1 Shelf	SU48-3335-1H	38"	33"	52"	8	59
Base Units Bottom Row Kegs	SU48-3352-1H	55"	33"	52"	12	75
on Floor	SU48-3369-1H	72"	33"	52"	16	83
1 Shelf	SU48-3335-1H-AO	37"	33"	52"	8	45
Add-on Units Bottom Row Kegs	SU48-3352-1H-A0	54"	33"	52"	12	61
on Floor	SU48-3369-1H-A0	71"	33"	52"	16	70

Model Number			all Dimen	Keg	Ship	
HALF SIZE 2-SHELF		W	D	Н	Capacity	Lbs.
2 Shelf	SU48-3335-2H	38"	33"	60"	8	76
Base Units Bottom Row Kegs	SU48-3352-2H	55"	33"	60"	12	102
on Shelf 8" Off Floor	SU48-3369-2H	72"	33"	60"	16	117
2 Shelf	SU48-3335-2H-A0	37"	33"	60"	8	62
Add-on Units Bottom Row Kegs	SU48-3352-2H-A0	54"	33"	60"	12	88
on Shelf 8" Off Floor	SU48-3369-2H-A0	71"	33"	60"	16	104

SU48 MODULAR KEG RACK CUSTOM SOLUTIONS

- Custom fit to go around Inside corners or Outside corners
- Top Shelves up to 24" Deep to Increase Beer Case and small food storage
- Center Mounted Top Storage on double deep Units to allow easy access to Front and back
- Regulator Mounting (optional)








FEATURES & BENEFITS

- Aluminum, Heavy-Duty, modular design allows assembly inside the cooler, and easy setup.
- 1.5" x 2" HD Aluminum tubular frame does not have coatings that can chip
 off or rust.
- Shelves bolted in place with 3/8" Stainless hardware, prevents shelf slippage compared with set-screws
- 4" Channel shelves with center reinforcement
- · Standard Rear protective strap
- · Standard Adjustable flanged feet allows for level installation

- Single keg and double keg deep units available
- 2, 3, and 4 keg wide standard shelf widths
- Custom sizes available to maximize cooler storage
- 2 shelf and 3 shelf designs to meet your storage needs: lower shelves for kegs, top shelf for small item storage
- Top Shelf 17" Deep standard with 4" E-Channel, Optional up to 24" Deep Top Shelf
- ADD-ON Shelves allow for convenient cooler builds for Straight runs. Minimize Uprights and Maximize Storage
- NSF approved

Example: Custom Cooler Layout

- · Maximize Storage with Inside and Outside Corner Units
- Each Unit is Interlocked for Strength and rigidity
- 136 Keg Capacity using 2 Shelf, Double Deep units
- Top Shelf 17" Deep along the entire length for storage of up to 62 Beer Cases
- Maintained Customer requirements for minimum openings



NEW! KEG RACK STYLEFeatures Front-to-Back 4" E-Channels

designed to hold the extra weight of Kegs

Construction

- Available in Standard 3', 4', and 5' Lengths
- 18", 20" or 24" Depths
- 8" or 12" Heights
- 4" E-Channel, Run Front to Back, Keg Rack Style
- Cross Tubes made from 1-½" x 2" x 1/8" Wall
- Rectangular Extra Heavy Duty Aluminum Tube
- Uprights Made from 1-½" Square Aluminum Tube
- Fully Welded Frame for Strength
- Custom Sizes Available



Model Number	0ve	rall Dimens	Lbs.	Ship Lbs.	
Model Nulliber	W	D	Н	Cap.	ollih rns.
SU33-36188-C	36"	18"	8"	4000	13
SU33-361812-C	36"	18"	12"	4000	13
SU33-36208-C	36"	20"	8"	4000	14
SU33-362012-C	36"	20"	12"	4000	14
SU33-36248-C	36"	24"	8"	4000	16
SU33-362412-C	36"	24"	12"	4000	16
SU33-48188-C	48"	18"	8"	3500	16
SU33-481812-C	48"	18"	12"	3500	16
SU33-48208-C	48"	20"	8"	3500	17
SU33-482012-C	48"	20"	12"	3500	17
SU33-48248-C	48"	24"	8"	3500	19
SU33-482412-C	48"	24"	12"	3500	19
SU33-60188-C	60"	18"	8"	3500	20
SU33-601812-C	60"	18"	12"	3500	20
SU33-60208-C	60"	20"	8"	3500	21
SU33-602012-C	60"	20"	12"	3500	21
SU33-60248-C	60"	24"	8"	3500	24
SU33-602412-C	60"	24"	12"	3500	24

Construction

- Constructed of Heavy-Duty 3003-H14 aluminum alloy
- Sheet Metal Base
- Designed specifically for moving kegs

Base

- Standard base is made from .125" thick aluminum
- 3 lips up, 1 lip down design

Casters

4" Poly-U plate casters

NEW!

Keg Dolly

designed specifically for moving kegs

Model Number	0ver	Ship Lbs.		
	w	D	Н	-
UC100-1717	18"	18"	8"	16





KL-200M Manual Keg Lifter

Key Features (Both Units)

- Heavy Duty Keg Lifting Capacity
- Works with standard Keg Sizes (½, ¼ or 1/6 Barrel), with easily Adjustable Bracket
- All swivel casters for easy maneuverability
- Rear casters have easy pedal lock to lock load in place
- Low profile front casters
- Solid Base sturdy during lifting or when not in use
- 4.5" bottom shelf clearance needed

Electric Specifications

- Ergonomic soft grip Handle design and controls
- Remote lifting controls for safety
- Variable position locking control
- Battery powered with built-in 120V plug for easy recharging
- Automatic Position Lock

Manual Specifications

- Manual Hand Crank
- Ergonomic Handle design
- Safe Load Lock keeps load level when you let go of the handle

Model Number	Туре	Overall Dimensions		ons	Load	Max Clearance	Ship Lbs.
Model Number	турс	w	D	н	Capacity	max clearance	Silip Lb3.
KL-150E	Electric (120V)	29"	23"	71"	250 lbs.	54"	125
KL-200M	Manual	29"	23"	72"	380 lbs.	55"	125