



CHOICE EQUIPMENT COMPANY'S
Complete Mobile Shelving Units fit virtually any need.

Choose a shelf type then find the perfect size. Don't see the exact size you need? *Contact us, we can meet any of your custom needs!*

Construction

- All Heavy-Duty extruded 6063 Aluminum Alloy
- Available in Heavy Duty Channel, Tubular, T-Bar, or Solid Top Shelves
- 18", 20" or 24" Standard Depths
- Available in 2, 3, or 4 Shelf Configurations
- Adjustable Front Feet for Easy Leveling
- Fully Welded Assembly for Strength
- Custom Sizes Available

Frame

- Uprights are 2" x 4" tubing
- Lower support features a gusset-supported 2" x 4" x 1/8" tube and 1.5" heavy duty square tubing with an adjustable foot
- Custom heights available

Shelves

- Shelves are all aluminum evenly spaced and fully welded to the frame
- Side braces use .25" x 2" flat bar
- Shelf cross braces and Tubular shelves use 1.5" square tubing
- E-Channel shelves use 4" wide channel
- T-Bar shelves use 2.25" wide T-Bar
- Solid shelves use .063" thick sheet metal over a reinforced tubular frame



**2-Shelf
Tubular**



Model Number 2-Shelf TUBULAR	Overall Dimensions			Ship Lbs.	List \$
	W	D	H		
SU60-3018-2-T	30"	18"	72"	44	953
SU60-3020-2-T	30"	20"	72"	46	960
SU60-3024-2-T	30"	24"	72"	50	1020
SU60-3618-2-T	36"	18"	72"	48	998
SU60-3620-2-T	36"	20"	72"	49	1009
SU60-3624-2-T	36"	24"	72"	54	1077
SU60-4218-2-T	42"	18"	72"	51	1058
SU60-4220-2-T	42"	20"	72"	53	1065
SU60-4224-2-T	42"	24"	72"	57	1148
SU60-4818-2-T	48"	18"	72"	55	1103
SU60-4820-2-T	48"	20"	72"	56	1115
SU60-4824-2-T	48"	24"	72"	61	1200
SU60-5418-2-T	54"	18"	72"	58	1163
SU60-5420-2-T	54"	20"	72"	60	1170
SU60-5424-2-T	54"	24"	72"	65	1245
SU60-6018-2-T	60"	18"	72"	62	1200
SU60-6020-2-T	60"	20"	72"	63	1222
SU60-6024-2-T	60"	24"	72"	69	1328

**2-Shelf
E-Channel**



Model Number 2-Shelf E-CHANNEL	Overall Dimensions			Ship Lbs.	List \$
	W	D	H		
SU60-3018-2-C	30"	18"	72"	46	990
SU60-3020-2-C	30"	20"	72"	47	998
SU60-3024-2-C	30"	24"	72"	52	1118
SU60-3618-2-C	36"	18"	72"	50	1050
SU60-3620-2-C	36"	20"	72"	51	1058
SU60-3624-2-C	36"	24"	72"	56	1174
SU60-4218-2-C	42"	18"	72"	54	1118
SU60-4220-2-C	42"	20"	72"	55	1125
SU60-4224-2-C	42"	24"	72"	61	1238
SU60-4818-2-C	48"	18"	72"	58	1170
SU60-4820-2-C	48"	20"	72"	59	1183
SU60-4824-2-C	48"	24"	72"	65	1298
SU60-5418-2-C	54"	18"	72"	61	1260
SU60-5420-2-C	54"	20"	72"	62	1268
SU60-5424-2-C	54"	24"	72"	70	1358
SU60-6018-2-C	60"	18"	72"	65	1313
SU60-6020-2-C	60"	20"	72"	66	1328
SU60-6024-2-C	60"	24"	72"	74	1423

**2-Shelf
T-Bar**



Model Number 2-Shelf T-BAR	Overall Dimensions			Ship Lbs.	List \$
	W	D	H		
SU60-3018-2-TB	30"	18"	72"	45	1313
SU60-3020-2-TB	30"	20"	72"	46	1320
SU60-3024-2-TB	30"	24"	72"	49	1418
SU60-3618-2-TB	36"	18"	72"	49	1350
SU60-3620-2-TB	36"	20"	72"	50	1375
SU60-3624-2-TB	36"	24"	72"	53	1462
SU60-4218-2-TB	42"	18"	72"	52	1425
SU60-4220-2-TB	42"	20"	72"	54	1433
SU60-4224-2-TB	42"	24"	72"	57	1508
SU60-4818-2-TB	48"	18"	72"	56	1463
SU60-4820-2-TB	48"	20"	72"	58	1482
SU60-4824-2-TB	48"	24"	72"	61	1567
SU60-5418-2-TB	54"	18"	72"	59	1538
SU60-5420-2-TB	54"	20"	72"	61	1545
SU60-5424-2-TB	54"	24"	72"	65	1628
SU60-6018-2-TB	60"	18"	72"	63	1560
SU60-6020-2-TB	60"	20"	72"	65	1587
SU60-6024-2-TB	60"	24"	72"	69	1683

**2-Shelf
Solid**



Model Number 2-Shelf SOLID	Overall Dimensions			Ship Lbs.	List \$
	W	D	H		
SU60-3018-2-S	30"	18"	72"	46	1230
SU60-3020-2-S	30"	20"	72"	48	1238
SU60-3024-2-S	30"	24"	72"	51	1328
SU60-3618-2-S	36"	18"	72"	50	1275
SU60-3620-2-S	36"	20"	72"	52	1289
SU60-3624-2-S	36"	24"	72"	56	1355
SU60-4218-2-S	42"	18"	72"	54	1335
SU60-4220-2-S	42"	20"	72"	56	1343
SU60-4224-2-S	42"	24"	72"	60	1410
SU60-4818-2-S	48"	18"	72"	58	1388
SU60-4820-2-S	48"	20"	72"	59	1405
SU60-4824-2-S	48"	24"	72"	64	1432
SU60-5418-2-S	54"	18"	72"	62	1463
SU60-5420-2-S	54"	20"	72"	63	1470
SU60-5424-2-S	54"	24"	72"	69	1530
SU60-6018-2-S	60"	18"	72"	66	1500
SU60-6020-2-S	60"	20"	72"	67	1520
SU60-6024-2-S	60"	24"	72"	73	1558

**3-Shelf
Tubular**



**3-Shelf
E-Channel**



**3-Shelf
T-Bar**



**3-Shelf
Solid**



STORAGE SHELVING

Model Number 3-Shelf TUBULAR	Overall Dimensions			Ship Lbs.	List \$
	W	D	H		
SU60-3018-3-T	30"	18"	72"	52	1185
SU60-3020-3-T	30"	20"	72"	53	1193
SU60-3024-3-T	30"	24"	72"	59	1328
SU60-3618-3-T	36"	18"	72"	56	1245
SU60-3620-3-T	36"	20"	72"	58	1259
SU60-3624-3-T	36"	24"	72"	64	1375
SU60-4218-3-T	42"	18"	72"	61	1313
SU60-4220-3-T	42"	20"	72"	62	1320
SU60-4224-3-T	42"	24"	72"	69	1425
SU60-4818-3-T	48"	18"	72"	66	1380
SU60-4820-3-T	48"	20"	72"	67	1393
SU60-4824-3-T	48"	24"	72"	74	1462
SU60-5418-3-T	54"	18"	72"	70	1455
SU60-5420-3-T	54"	20"	72"	72	1463
SU60-5424-3-T	54"	24"	72"	80	1538
SU60-6018-3-T	60"	18"	72"	75	1508
SU60-6020-3-T	60"	20"	72"	76	1529
SU60-6024-3-T	60"	24"	72"	85	1587

Model Number 3-Shelf E-CHANNEL	Overall Dimensions			Ship Lbs.	List \$
	W	D	H		
SU60-3018-3-C	30"	18"	72"	55	1223
SU60-3020-3-C	30"	20"	72"	56	1230
SU60-3024-3-C	30"	24"	72"	63	1365
SU60-3618-3-C	36"	18"	72"	60	1290
SU60-3620-3-C	36"	20"	72"	62	1298
SU60-3624-3-C	36"	24"	72"	70	1405
SU60-4218-3-C	42"	18"	72"	66	1358
SU60-4220-3-C	42"	20"	72"	67	1365
SU60-4224-3-C	42"	24"	72"	76	1478
SU60-4818-3-C	48"	18"	72"	71	1410
SU60-4820-3-C	48"	20"	72"	72	1423
SU60-4824-3-C	48"	24"	72"	82	1520
SU60-5418-3-C	54"	18"	72"	76	1485
SU60-5420-3-C	54"	20"	72"	77	1493
SU60-5424-3-C	54"	24"	72"	88	1613
SU60-6018-3-C	60"	18"	72"	81	1568
SU60-6020-3-C	60"	20"	72"	83	1587
SU60-6024-3-C	60"	24"	72"	95	1663

Model Number 3-Shelf T-BAR	Overall Dimensions			Ship Lbs.	List \$
	W	D	H		
SU60-3018-3-TB	30"	18"	72"	52	1455
SU60-3020-3-TB	30"	20"	72"	55	1463
SU60-3024-3-TB	30"	24"	72"	59	1575
SU60-3618-3-TB	36"	18"	72"	58	1515
SU60-3620-3-TB	36"	20"	72"	60	1529
SU60-3624-3-TB	36"	24"	72"	65	1605
SU60-4218-3-TB	42"	18"	72"	62	1590
SU60-4220-3-TB	42"	20"	72"	65	1598
SU60-4224-3-TB	42"	24"	72"	70	1680
SU60-4818-3-TB	48"	18"	72"	67	1643
SU60-4820-3-TB	48"	20"	72"	70	1663
SU60-4824-3-TB	48"	24"	72"	75	1739
SU60-5418-3-TB	54"	18"	72"	72	1725
SU60-5420-3-TB	54"	20"	72"	75	1733
SU60-5424-3-TB	54"	24"	72"	80	1815
SU60-6018-3-TB	60"	18"	72"	77	1785
SU60-6020-3-TB	60"	20"	72"	80	1798
SU60-6024-3-TB	60"	24"	72"	86	1883

Model Number 3-Shelf SOLID	Overall Dimensions			Ship Lbs.	List \$
	W	D	H		
SU60-3018-3-S	30"	18"	72"	55	1538
SU60-3020-3-S	30"	20"	72"	57	1545
SU60-3024-3-S	30"	24"	72"	62	1643
SU60-3618-3-S	36"	18"	72"	61	1590
SU60-3620-3-S	36"	20"	72"	63	1605
SU60-3624-3-S	36"	24"	72"	68	1692
SU60-4218-3-S	42"	18"	72"	66	1590
SU60-4220-3-S	42"	20"	72"	68	1673
SU60-4224-3-S	42"	24"	72"	74	1740
SU60-4818-3-S	48"	18"	72"	71	1725
SU60-4820-3-S	48"	20"	72"	74	1739
SU60-4824-3-S	48"	24"	72"	80	1789
SU60-5418-3-S	54"	18"	72"	77	1815
SU60-5420-3-S	54"	20"	72"	79	1823
SU60-5424-3-S	54"	24"	72"	86	1913
SU60-6018-3-S	60"	18"	72"	82	1860
SU60-6020-3-S	60"	20"	72"	85	1874
SU60-6024-3-S	60"	24"	72"	92	2020

**4-Shelf
Tubular**



Model Number 4-Shelf TUBULAR	Overall Dimensions			Ship Lbs.	List \$
	W	D	H		
SU60-3018-4-T	30"	18"	72"	59	1320
SU60-3020-4-T	30"	20"	72"	61	1328
SU60-3024-4-T	30"	24"	72"	67	1553
SU60-3618-4-T	36"	18"	72"	65	1425
SU60-3620-4-T	36"	20"	72"	66	1443
SU60-3624-4-T	36"	24"	72"	74	1615
SU60-4218-4-T	42"	18"	72"	71	1605
SU60-4220-4-T	42"	20"	72"	72	1613
SU60-4224-4-T	42"	24"	72"	81	1688
SU60-4818-4-T	48"	18"	72"	76	1658
SU60-4820-4-T	48"	20"	72"	78	1673
SU60-4824-4-T	48"	24"	72"	87	1739
SU60-5418-4-T	54"	18"	72"	82	1718
SU60-5420-4-T	54"	20"	72"	83	1725
SU60-5424-4-T	54"	24"	72"	94	1815
SU60-6018-4-T	60"	18"	72"	88	1763
SU60-6020-4-T	60"	20"	72"	89	1778
SU60-6024-4-T	60"	24"	72"	100	1865

**4-Shelf
E-Channel**



Model Number 4-Shelf E-CHANNEL	Overall Dimensions			Ship Lbs.	List \$
	W	D	H		
SU60-3018-4-C	30"	18"	72"	64	1350
SU60-3020-4-C	30"	20"	72"	65	1358
SU60-3024-4-C	30"	24"	72"	75	1560
SU60-3618-4-C	36"	18"	72"	71	1410
SU60-3620-4-C	36"	20"	72"	72	1462
SU60-3624-4-C	36"	24"	72"	83	1645
SU60-4218-4-C	42"	18"	72"	77	1553
SU60-4220-4-C	42"	20"	72"	79	1560
SU60-4224-4-C	42"	24"	72"	91	1740
SU60-4818-4-C	48"	18"	72"	84	1650
SU60-4820-4-C	48"	20"	72"	85	1663
SU60-4824-4-C	48"	24"	72"	99	1828
SU60-5418-4-C	54"	18"	72"	91	1800
SU60-5420-4-C	54"	20"	72"	92	1808
SU60-5424-4-C	54"	24"	72"	107	1965
SU60-6018-4-C	60"	18"	72"	97	1928
SU60-6020-4-C	60"	20"	72"	99	1942
SU60-6024-4-C	60"	24"	72"	115	2020

**4-Shelf
T-Bar**



Model Number 4-Shelf T-BAR	Overall Dimensions			Ship Lbs.	List \$
	W	D	H		
SU60-3018-4-TB	30"	18"	72"	60	1703
SU60-3020-4-TB	30"	20"	72"	63	1710
SU60-3024-4-TB	30"	24"	72"	68	1793
SU60-3618-4-TB	36"	18"	72"	67	1710
SU60-3620-4-TB	36"	20"	72"	70	1798
SU60-3624-4-TB	36"	24"	72"	76	1942
SU60-4218-4-TB	42"	18"	72"	72	1883
SU60-4220-4-TB	42"	20"	72"	75	1890
SU60-4224-4-TB	42"	24"	72"	82	2048
SU60-4818-4-TB	48"	18"	72"	79	1965
SU60-4820-4-TB	48"	20"	72"	82	1980
SU60-4824-4-TB	48"	24"	72"	90	2153
SU60-5418-4-TB	54"	18"	72"	84	2153
SU60-5420-4-TB	54"	20"	72"	88	2160
SU60-5424-4-TB	54"	24"	72"	96	2258
SU60-6018-4-TB	60"	18"	72"	91	2205
SU60-6020-4-TB	60"	20"	72"	95	2220
SU60-6024-4-TB	60"	24"	72"	103	2328

**4-Shelf
Solid**



Model Number 4-Shelf SOLID	Overall Dimensions			Ship Lbs.	List \$
	W	D	H		
SU60-3018-4-S	30"	18"	72"	64	1605
SU60-3020-4-S	30"	20"	72"	67	1613
SU60-3024-4-S	30"	24"	72"	73	1793
SU60-3618-4-S	36"	18"	72"	71	1710
SU60-3620-4-S	36"	20"	72"	74	1722
SU60-3624-4-S	36"	24"	72"	81	1893
SU60-4218-4-S	42"	18"	72"	78	1823
SU60-4220-4-S	42"	20"	72"	81	1830
SU60-4224-4-S	42"	24"	72"	88	1995
SU60-4818-4-S	48"	18"	72"	85	1928
SU60-4820-4-S	48"	20"	72"	88	1942
SU60-4824-4-S	48"	24"	72"	96	2097
SU60-5418-4-S	54"	18"	72"	92	2018
SU60-5420-4-S	54"	20"	72"	95	2025
SU60-5424-4-S	54"	24"	72"	104	2205
SU60-6018-4-S	60"	18"	72"	98	2093
SU60-6020-4-S	60"	20"	72"	102	2105
SU60-6024-4-S	60"	24"	72"	111	2298